ELSEVIER

Brain Research 786 (1998) 281–282

BRAIN RESEARCH

Author Index

Alcayaga, J., Iturriaga, R., Varas, R., Arroyo, J. and Zapata, P.
Selective activation of carotid nerve fibers by acetylcholine applied to the cat petrosal ganglion in vitro (786) 47
Arezzo, J.C., see Fishman, Y.I. (786) 18
Arroyo, J., see Alcayaga, J. (786) 47

Becker, H.C., see Jarvis, M.F. (786) 80
Beetsch, J.W., Park, T.S., Dugan, L.L., Shah, A.R. and Gidday, J.M.
Xanthine oxidase-derived superoxide causes reoxygenation injury of ischemic cerebral endothelial cells (786) 89
Boschi, G., see Evrard, P.A. (786) 122
Bures, J., see Koroleva, V.I. (786) 104
Butterfield, D.A., see Koppal, T. (786) 270

Cadet, J.L., Ladenheim, B. and Hirata, H.
Effects of toxic doses of methamphetamine (METH) on dopamine D1 receptors in the mouse brain (786) 240
Cordero, M.I. and Sandi, C.
A role for brain glucocorticoid receptors in contextual fear conditioning: dependence upon training intensity (786) 11

D'Ambrosio, R., Maris, D.O., Grady, M.S., Winn, H.R. and Janigro, D.
Selective loss of hippocampal long-term potentiation, but not depression, following fluid percussion injury (786) 64
Dassesse, D., Cuvelier, L., Krebs, C., Streppel, M., Guntinas-Lichius, O., Neiss, W.F. and Pochet, R.
Differential expression of calbindin and calmodulin in motoneurons after hypoglossal axotomy (786) 181
DeVries, A.C., Taymans, S.E., Sundstrom, J.M. and Pert, A.
Conditioned release of corticosterone by contextual stimuli associated with cocaine is mediated by corticotropin-releasing factor (786) 39
Drake, J., see Koppal, T. (786) 270
Dugan, L.L., see Beetsch, J.W. (786) 89

Emoto, H., see Yoshida, M. (786) 226
Evrard, P.A., Ragusi, C., Boschi, G., Verbeeck, R.K. and Scherrmann, J.-M.
Simultaneous microdialysis in brain and blood of the mouse: extracellular and intracellular brain colchicine disposition (786) 122

Fishman, Y.I., Reser, D.H., Arezzo, J.C. and Steinschneider, M.
Pitch vs. spectral encoding of harmonic complex tones in primary auditory cortex of the awake monkey (786) 18
Fuchs, J.L., see Schwark, H.D. (786) 259
Fuentes, J.A., see García-García, L. (786) 215

García-García, L., Harbuz, M.S., Manzanares, J., Lightman, S.L. and Fuentes, J.A.
RU-486 blocks stress-induced enhancement of proenkephalin gene expression in the paraventricular nucleus of rat hypothalamus (786) 215
Gidday, J.M., see Beetsch, J.W. (786) 89
Gilbey, M.P., see Smith, J.E. (786) 153
Goto, K., see Uesugi, M. (786) 235
Grady, M.S., see D'Ambrosio, R. (786) 64
Graf, R.A. and Kater, S.B.
Inhibitory neuronal activity can compensate for adverse effects of β-amyloid in hippocampal neurons (786) 115
Greiner, C., Hülsmann, S., Wassmann, H., Moskopp, D., Schmidinger, A., Wölfer, J., Köhling, R., Lücke, A. and Speckmann, E.-J.
Neuroprotection of mild hypothermia: differential effects (786) 267

Harbuz, M.S., see García-García, L. (786) 215
Hashimoto, T., see Terashima, A. (786) 255
Hay, M.
Cyclosporine A modulation of Ca^{++} activated K^+ channels in cardiac sensory afferent neurons (786) 243
Herrmann, G., Stünitz, H. and Nitsch, C.
Composition of ibotenic acid-induced calcifications in rat substantia nigra (786) 205
Hülsmann, S., see Greiner, C. (786) 267

Ishima, T., see Nakagawa, Y. (786) 189
Iturriaga, R., see Alcayaga, J. (786) 47
Izumi, F., see Uezono, Y. (786) 230

Janigro, D., see D'Ambrosio, R. (786) 64
Jansen, A.S.P., see Smith, J.E. (786) 153
Jarvis, M.F. and Becker, H.C.
Single and repeated episodes of ethanol withdrawal increase adenosine A_1, but not A_{2A}, receptor density in mouse brain (786) 80

Kater, S.B., see Graf, R.A. (786) 115
Kawamata, T., see Terashima, A. (786) 255
King, M.A., see Meyer, E.M. (786) 252
Kirov, R., see Moyanova, S. (786) 55
Köhling, R., see Greiner, C. (786) 267
Koppal, T., Subramaniam, R., Drake, J., Prasad, M.R., Dhillon, H. and Butterfield, D.A.
Vitamin E protects against Alzheimer's amyloid peptide (25–35)-induced changes in neocortical synaptosomal membrane lipid structure and composition (786) 270
Koroleva, V.I., Korolev, O.S., Loseva, E. and Bures, J.
The effect of MK-801 and of brain-derived polypeptides on the development of ischemic lesion induced by photothrombotic occlusion of the distal middle cerebral artery in rats (786) 104
Krebs, C., see Dassesse, D. (786) 181
Kublik, E., see Musial, P. (786) 1
Kuwana, S.-i., Okada, Y. and Natsui, T.
Effects of extracellular calcium and magnesium on central respiratory control in the brainstem–spinal cord of neonatal rat (786) 194

Lightman, S.L., see García-García, L. (786) 215
Loewy, A.D., see Smith, J.E. (786) 153
Loseva, E., see Koroleva, V.I. (786) 104
Lücke, A., see Greiner, C. (786) 267

Maeda, K., see Terashima, A. (786) 255
Maguire, C.M. and Geraghty, D.P.
Comparison of [^{125}I]-Bolton–Hunter substance P binding in young and aged rat spinal cord (786) 263
Maris, D.O., see D'Ambrosio, R. (786) 64
Marzban, F., see Smith, P.G. (786) 171
Meyer, E.M., King, M.A. and Meyers, C.
Neuroprotective effects of 2,4-dimethoxybenzylidene anabaseine (DMXB) and tetrahydroaminoacridine (THA) in neocortices of nucleus basalis lesioned rats (786) 252
Mistlberger, R.E. and Antle, M.C.
Behavioral inhibition of light-induced circadian phase resetting is phase and serotonin dependent (786) 31
Moisan, J. and Rompré, P.-P.
Electrophysiological evidence that a subset of midbrain dopamine neurons integrate the reward signal induced by electrical stimulation of the posterior mesencephalon (786) 143
Moyanova, S., Kortenska, L. and Kirov, R.
High-voltage electroencephalogram spindles in rats, aging and 5-HT_2 antagonism (786) 55

Musiał, P., Kublik, E., Panecki, S.J. and Wróbel, A.
Transient changes of electrical activity in the rat barrel cortex during conditioning (786) 1

Nakagawa, Y., Ishima, T. and Takashima, T.
The 5-HT_3 receptor agonist attenuates the action of antidepressants in the forced swim test in rats (786) 189
Nakamura, T., see Uezono, Y. (786) 230
Natsui, T., see Kuwana, S.-i. (786) 194
Neiss, W.F., see Dassesse, D. (786) 181
Nitsch, C., see Herrmann, G. (786) 205

Ohyama, J., see Ojima, H. (786) 274
Oishi, Y., see Uezono, Y. (786) 230
Ojima, H., Sakai, M. and Ohyama, J.
Molecular heterogeneity of *Vicia villosa*-recognized perineuronal nets surrounding pyramidal and nonpyramidal neurons in the guinea pig cerebral cortex (786) 274

Panecki, S.J., see Musiał, P. (786) 1
Park, T.S., see Beetsch, J.W. (786) 89
Patel, K.P., see Zhang, K. (786) 219
Pérez-Pinzón, M.A., Mumford, P.L. and Sick, T.J.
Prolonged anoxic depolarization exacerbates NADH hyperoxidation and promotes poor electrical recovery after anoxia in hippocampal slices (786) 165
Petit, M.J., see Schwark, H.D. (786) 259
Pierau, F.-K., see Yakimova, K.S. (786) 133
Pochet, R., see Dassesse, D. (786) 181
Polgár, E., Szûcs, P., Urbán, L. and Nagy, I.
Alterations of substance P immunoreactivity in lumbar and thoracic segments of rat spinal cord in ultraviolet irradiation induced hyperalgesia of the hindpaw (786) 248

Ragusi, C., see Evrard, P.A. (786) 122
Reser, D.H., see Fishman, Y.I. (786) 18
Rompré, P.-P., see Moisan, J. (786) 143

Sakai, M., see Ojima, H. (786) 274
Sandi, C., see Cordero, M.I. (786) 11
Sann, H., see Yakimova, K.S. (786) 133
Saybasili, H.
The protective role of mild acidic pH shifts on synaptic NMDA current in hippocampal slices (786) 128
Schmidinger, A., see Greiner, C. (786) 267
Schwark, H.D., Petit, M.J. and Fuchs, J.L.
Distribution of substance P receptor binding in dorsal column nuclei of rat, cat, monkey and human (786) 259
Shibuya, I., see Uezono, Y. (786) 230
Sick, T.J., see Pérez-Pinzón, M.A. (786) 165
Smith, J.E., Jansen, A.S.P., Gilbey, M.P. and Loewy, A.D.
CNS cell groups projecting to sympathetic outflow of tail artery: neural circuits involved in heat loss in the rat (786) 153
Smith, P.G. and Marzban, F.
Parasympathetic varicosity proliferation and synaptogenesis in rat eyelid smooth muscle after sympathectomy (786) 171
Steinschneider, M., see Fishman, Y.I. (786) 18
Streppel, M., see Dassesse, D. (786) 181
Stünitz, H., see Herrmann, G. (786) 205
Subramaniam, R., see Koppal, T. (786) 270
Sundstrom, J.M., see DeVries, A.C. (786) 39
Szûcs, P., see Polgár, E. (786) 248

Takashima, T., see Nakagawa, Y. (786) 189
Tanaka, C., see Terashima, A. (786) 255
Tanaka, K., see Uezono, Y. (786) 230
Tanaka, M., see Yoshida, M. (786) 226
Tanaka, T., see Yoshida, M. (786) 226
Taniguchi, T., see Terashima, A. (786) 255
Taymans, S.E., see DeVries, A.C. (786) 39
Terashima, A., Nakai, M., Hashimoto, T., Kawamata, T., Taniguchi, T., Yasuda, M., Maeda, K. and Tanaka, C.
Single-channel activity of the Ca^{2+}-dependent K^+ channel is modulated by FK506 and rapamycin (786) 255

Ueda, Y., see Uezono, Y. (786) 230
Ueno, S., see Uezono, Y. (786) 230
Uesugi, M., Kasuya, Y., Hayashi, K. and Goto, K.
SB209670, a potent endothelin receptor antagonist, prevents or delays axonal degeneration after spinal cord injury (786) 235
Uezono, Y., Shibuya, I., Ueda, Y., Tanaka, K., Oishi, Y., Yanagihara, N., Ueno, S., Toyohira, Y., Nakamura, T., Yamashita, H. and Izumi, F.
Adrenomedullin increases intracellular Ca^{2+} and inositol 1,4,5-trisphosphate in human oligodendroglial cell line KG-1C (786) 230

Varas, R., see Alcayaga, J. (786) 47
Verbeeck, R.K., see Evrard, P.A. (786) 122

Wassmann, H., see Greiner, C. (786) 267
Winn, H.R., see D'Ambrosio, R. (786) 64
Wölfer, J., see Greiner, C. (786) 267
Wróbel, A., see Musiał, P. (786) 1

Yakimova, K.S., Sann, H. and Pierau, F.-K.
Effects of *kappa* and *delta* opioid agonists on activity and thermosensitivity of rat hypothalamic neurons (786) 133
Yanagihara, N., see Uezono, Y. (786) 230
Yasuda, M., see Terashima, A. (786) 255
Yokoo, H., see Yoshida, M. (786) 226
Yoshida, M., Yokoo, H., Mizoguchi, K., Tanaka, T., Emoto, H. and Tanaka, M.
NMDA- and MK801-induced changes in dopamine release are attenuated in kainic acid-lesioned nucleus accumbens of conscious rats: an in vivo microdialysis study (786) 226

Zastrow, D.J., see Zawada, W.M. (786) 96
Zawada, W.M., Zastrow, D.J., Clarkson, E.D., Adams, F.S., Bell, K.P. and Freed, C.R.
Growth factors improve immediate survival of embryonic dopamine neurons after transplantation into rats (786) 96
Zhang, K., Zucker, I.H. and Patel, K.P.
Altered number of diaphorase (NOS) positive neurons in the hypothalamus of rats with heart failure (786) 219